



COMPACT SPRAY BOOTH DOORS

Elevate efficiency



Elevate **EFFICIENCY**



Table OF CONTENTS

The Compact Spray Booth door	4
Your benefits	5
9 Reasons why to choose Compact	6
Sandwich panel doors	11
Glass panel doors	12
Accessories	13
Installation	14
Reference projects	16
More info & Contact	19



Compact SPRAY BOOTH DOORS by Rolflex

As a spray booth supplier, your focus is on efficiency, and so is ours.

Compact spray booth doors are a revolutionary solution designed to maximize space utilization while still meeting the requirements of spray booth suppliers worldwide. The Rolflex Compact spray booth door is more than just space-saving; it's a game-changer.

Imagine: You will be able to install booths where you could not before, or better, install more booths in the same space!

Discover how Compact doors can transform your spray booth solutions, contributing to the efficiency and success of your business and that of your customers.



25+ years
satisfied customers



Worldwide
delivery



Made-to-order in
Rolflex production facility



Your BENEFITS

Unique space-saving design:

Save up to 90% in floor space compared to side-folding or swing doors

One of the key elements of design efficiency is maximising the use of space. Traditional swing doors and even multi-fold doors take up valuable space in front of the booth. As the Compact door folds its panels above the door opening, it has an extremely compact footprint. As a result, Compact doors allow you to fit more booths into the same building or to install larger booths without hindering the space around the booth.

Design Flexibility

The compact folding design in combination with the sidebearing system enables a wide range of applications. Use the door as a partition between booths or as a flexible wall on the side of the booth. Add a pass door for easy access. We are happy to create your ideal customized door for you.

Your creativity is the limit.



9 reasons why to **CHOOSE COMPACT**



Compact®

01. Non-intrusive
**SPACE SAVING
DESIGN**

02. A clean FINISH

The integrated hinges ensure a sleek and clean door design that integrates well in a modern and minimalist environment. Enjoy the freedom of choice in colours and panel materials in order to give your booth the finish that reflects your company's high quality.

03. Built TO LAST

All parts of the door are placed outside of the booth. The door has been tested to withstand at least **100.000 movements**. When maintained regularly, the door should provide long-term continuity.





04. Sealing & **TEMPERATURE STABILITY**

All Compact doors have insulated panels and sealing on all sides of the door, ensuring temperature stability within the booth. The sealing fits the requirements of the spray booth industry.

05. ATEX **FRIENDLY**

As the Compact doors are outside of the booth, the door provides an ATEX-friendly solution, depending on your local regulations. The door can be fitted with a range of both mechanical and electrical ATEX components.



06. Modular **DESIGN**

The side-bearing system allows usage at all sides of the booth. Use them as a partition and benefit from a barrier-free automatic entrance to the booth.

07. Custom-made **EFFICIENCY**

No need to invest in accessories you will not use. Efficiency starts with a tailormade door.



Do you have any questions?
We are happy to help you

rolflex.com

+31 (0)315 695 954



08. A showroom of **CRAFTMANSHIP**

The door will open by the click of one button, which saves time and is user-friendly. Give the booth employees a sense of freedom by using **full vision panels**. This will provide them with a view outside of the booth and allows you to turn the booths into a showroom of craftsmanship.

09. Low Dust **MOVEMENT**

The unique design of the Compact, with its smooth finish and treshold-free setup minimalises the spread and accumulation of dust.



Compact

Sandwich PANEL DOORS



Characteristics

Compact sandwich panels consist of insulated 40 mm sandwich panels of CFC-free polystyrene foam (expanded, EPS SE), covered with aluminium stucco cladding. Panel height is 610 mm. Top panel height can be adjusted to fit any door opening.

Sealing on all sides

The door opening is sealed off by rubber seals on all 4 sides and in between the panels.



Invisible hinges

Hinges are positioned invisibly between the panels for a clean finish on both sides of the door.

Maximum dimensions

7000 mm wide

7960 mm high

Windows

Combine panels with rounded or square windows or a glazed panel for better visibility and light.

Colours

Panels, door covers and profiles can be painted/ powdercoated in any RAL colour. Our 10 standard sandwich panel colours are:



RAL
3002

RAL
5001

RAL
5017

RAL
6005

RAL
7016

RAL
7032

RAL
9002

RAL
9006

RAL
9007

RAL
9016

Glass PANEL DOORS



Characteristics

Aluminium profiles with vertical sections. Panel thickness 40 mm, height 610 mm. Top panel height can be adjusted to fit the door opening. Number of sections can be adjusted.

Sealing on all sides

The door opening is sealed off by rubber seals on all 4 sides and in between the panels.



Invisible hinges

Hinges are positioned invisibly between the panels for a clean finish on both sides of the door.

Maximum dimensions

Max width for 1 panel is 7000 mm.

Max width for full-glazed door is 6000 mm.

Doors wider than 6000 mm: Max 2 glazed panels.

Max height: 7960 mm high



Colours

Profiles, rails and door cover can be painted in any RAL colour. Our 2 standard colours are anodized aluminum and RAL 9002.

Glass options:

Available in single or double pane.

Most standard glass types are acrylic, polycarbonate and safety glass. Other options available on request.

Compact

Accessories & OPTIONS



Pass door

Pass doors allow easy access to the booth without having to open the full door. Compact doors up to 6000 mm can be fitted with a pass door. Positioning, opening direction and hinge position can be determined by the client.



Door covers

Door covers are available for an esthetic finish of the door or for extra protection, especially when the door is on the outside of a building. Both the door panels and the motor can be covered.

Covers are available in any RAL colour.

This is a small selection of the many additional options. Visit our website for more.



**Download our extensive product
information booklet for all options.**

rolflex.com/en/downloads



Installation & **SERVICE**

Satisfied customers, trouble-free lifespan.

A Compact door will last a long period of time. Professional installation and service are important contributors to a successful and trouble-free lifespan. Whether you are a one-time buyer or a frequent customer, we offer the service level you need.

Outsourced installation and servicing

Obviously, your team has installed a wide number of spray booths and doors. However, we know from our experience that the installation of a Compact door is slightly different to doors most teams are used to. We recommend first-time buyers to outsource installation and servicing to a skilled and experienced specialist. **Our worldwide network of support partners is at your service.** We are more than happy to introduce you to a skilled professional in the required region.

In-house installation and servicing

If you have a larger number of Compact doors to be installed, in-house installation may be the best option. Your team will have the time to develop the skills needed and you are willing to invest some time into learning the knowledge needed. Rolflex offers a **free one-day installation training** at our production facilities in the Netherlands. Alternatively, detailed training videos are available for your mechanics.

Our support team will gladly assist you with any technical questions you have in terms of installation or servicing.



Elevate
EFFICIENCY

Reference **PROJECTS**



Garmat, Carcenter Zeebrugge

Glass spray booth doors with wicket doors, installed by our partner Maxidoors.



MIVB- STIB Public transport maintenance line, Brussels

Large industrial doors sectioning off parts of the extensive maintenance line for trams and trains.





Polycar, Sima Benelux

Sandwich doors with a transparent panel.



ELPO spray booth with Compact door on three sides.

Compact doors on three sides of the booth. Panels prepared for side-lighting by Rolflex.



Compact & **SAFETY**



Fall safety

Prevents damage or injury in case the steel cables break.



Anti-trap protection

Compact doors with automatic closing systems are equipped with a Isafety system which will ensure nothing or no one gets trapped underneath a closing door.



Automatic lock


Prevents unauthorized access, especially crucial when used as an exterior door.



Slack cable protection

Prevents damage to the door when the door gets obstructed and/or cable tension is lost.

All Compact doors are compliant with European Safety Standards **EN 12604** and **EN 12453**, **NEN 13 241-1** and **CE-certified**.





More info & **CONTACT**

Questions?

Feel free to contact us in case you have any questions, or visit our website for FAQs, downloads and reference projects.

Design your own Compact door

Discover options, get drawings and quotes for your design.

configurator.rolflex.com

Our support team will gladly assist you with any
technical questions you have.

rolflex.com

+31 (0)315 695 954



Rolflex®

Rolflex Nederland BV

Nijverheidsweg 23
7081 AE Uift
Netherlands

+31 (0)315 695954
sales@rolflex.com

rolflex.com