

Compact[®]
Workshop doors
Maximise your Working Space



Designed
to fit. Made
for perfection.

Maximise your
working space



Table of contents

Compact Workshop doors	4
Maximise space	5
A professional look	6
Low maintenance costs	7
Renovation	7
Who benefits	8
Versatility for your dealership	9
Installation & Service	11
Reference projects	12
Technical specifications	14
More info & Contact	15

Compact® workshop doors

by Rolflex

Transform your workshop with the Compact door.

Optimizing your workspace has never been easier. The Compact workshop door is the ultimate solution for auto workshops and dealerships looking to maximize efficiency, improve aesthetics, and reduce maintenance costs. Unlike traditional overhead doors, the Compact door folds neatly above the entrance, allowing for an open, uncluttered workspace.



30+ years of satisfied customers




Worldwide delivery



Made-to-order in Rolflex production facility


Maximise your workshop space

- Lift vehicles higher without door tracks limiting height.
- Place exhaust systems, compressed air lines, and other installations exactly where you need them.
- Full flexibility in the layout of your workshop – position lifts wherever needed.



View all our solutions

www.rolflex.com



rolflex.com

A professional look, **inside and out**

- High-quality finish for a sleek, modern appearance.
- Uniform aesthetics throughout your building – suitable for workshops and showrooms alike.
- Available in various colors and finishes to match your branding.



Low maintenance, **cost saving**

- No torsion springs, meaning fewer moving parts and significantly lower maintenance costs compared to standard sectional doors.
- Durable design, tested for 100,000+ cycles.
- Superior insulation helps maintain workshop temperature, reducing energy costs.

Perfect for **renovation**

- Compact footprint allows for straightforward replacement of old roller doors or sliding doors.
- Available with integrated pedestrian doors for easy access.
- Automatic locking mechanism ensures security and convenience.



Your benefits as a(n)

Workshop owner

Workshop owners who want to maximise working height and reduce maintenance costs. The Compact door is the ideal alternative to replace older roller doors.

Dealership manager

A seamless look across the workshop and showroom enhances brand image while ensuring smooth operations.

Architect / Designer

- More creative freedom in workshop design with no intrusive ceiling tracks.
- Easy integration with modern energy-efficient building designs.



Versatility for you

Compact doors are not only highly useful for workshops but can also be utilized in various areas within your company. Below are some examples:

Compact® Showroom Doors



Compact® Service Doors



Compact® Spray booth doors



Compact® Car wash doors



Maximise your
working space

Installation & **Service**

Satisfied customers, trouble-free lifespan.

You may not realize it right away, but every workshop door is an essential part of your business operations. A non-functioning door can have a major impact on your business.

A Compact door will last a long period of time. Professional installation and service are important contributors to a successful and trouble-free lifespan.



rolflex.com

Reference projects



Peugeot Blue Box concept, Netherlands

In the Netherlands, the Compact door is part of the Peugeot Blue Box concept. All dealerships were equipped with these doors.



Renovation workshop, Haarlem

Replacement of old roller doors in this workshop in an older building.



McLaren Technology Center

Compact doors have been installed in the testing and washing booths in this state-of-the-art factory.



F1 racetrack Catalunya, Spain

Compact doors have been installed in the paddock workshops as a replacement for older doors.

Technical specifications

Min/Max dimensions

Max dimensions for a fully transparent door are 6000 mm wide and 7960 mm high. Wider doors are possible in combination with sandwich panels.

Characteristics of the profiles

Aluminium profiles with vertical sections. Panel thickness 40 mm, height 610 mm. Top panel height can be adjusted to fit the door opening.

Sealing on all sides

The door opening is sealed off by rubber seals on all 4 sides and in between the panels.

Invisible hinges

Hinges are positioned invisibly between the panels for a clean finish on both sides of the door.

Dimensions of top space and depth

Depth of the door package: 730 mm
Additional top space (above the door opening) required depends on the height of the door:

< 3080 mm	: 420 mm
3081 - 4300 mm	: 520 mm
4300 - 5520 mm	: 630 mm
5521 - 6740 mm	: 770 mm
6741 - 7960 mm	: 890 mm

All Compact doors are compliant with European Safety Standards **EN 12604** and **EN 12453**, **NEN 13 241-1** and **CE-certified**.



More info & Contact

Questions?

Feel free to contact us in case you have any questions, or visit our website for FAQs, downloads and reference projects.

Design your own Compact door

Discover all options, get drawings and quotes from your local reseller by using our free online Compact door configurator:

configurator.rolflex.com

Download our extensive product information booklet for all options.

rolflex.com/en/downloads



Designed
to fit. Made
for perfection.

Rolflex Nederland B.V.

Nijverheidsweg 23

7081 AE Uift, Netherlands

sales@rolflex.com

0315 695 954